



Prepared according to 29CFR 1910.1200.

1	Chemical Product and Company Identification
---	--

*Joe Gibbs Driven Racing Oil
 13415 Reese Blvd., West
 Huntersville, NC 28078
 Phone: (866) 611-1820*

Product Trade Name	PERFORMANCE BREAK IN OIL BR
CAS Number	Not applicable for mixtures.
Synonyms	None.
Generic Chemical Name	Mixture.
Product Type	Multipurpose.
Preparation/Revision Date	30 September 2009
Transportation Emergency Phone No.	FOR TRANSPORT EMERGENCY call CHEMTREC: (+1) 703-527-3887 (outside the U.S.), 1-800-424-9300 (in the U.S.)
MSDS No.	29019188-3231229-5016910-102103

2	Hazards Identification
---	-------------------------------

Appearance	Dark amber liquid.
Odor	Mild
Principal Hazards	<ul style="list-style-type: none"> • This material has no known health hazards.

See Section 11 for complete health hazard information.

3	Composition/Information on Ingredients
---	---

Hazardous Ingredients	This material has no known hazards under applicable laws.
------------------------------	---

4	First Aid Measures
---	---------------------------

Eyes	Flush with water at least 30 minutes. Get medical attention if eye irritation develops or persists.
Skin	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.
Inhalation	Remove exposed person to fresh air if adverse effects are observed.
Oral	DO NOT INDUCE VOMITING. Get immediate medical attention.
Additional Information	Note to physician: Treat symptomatically.

5	Fire Fighting Measures
----------	-------------------------------

Flash Point	206 °C, 402.8 °F PMCC (Typical)
Extinguishing Media	CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.
Firefighting Procedures	Recommend wearing self-contained breathing apparatus. Water may cause splattering.
Unusual Fire & Explosion Hazards	None known.

6	Accidental Release Measures
----------	------------------------------------

Spill Procedures	Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.
-------------------------	--

7	Handling and Storage
----------	-----------------------------

Pumping Temperature	Ambient
Maximum Handling Temperature	70 °C, 158 °F
Handling Procedures	Keep containers closed when not in use. Do not discharge into drains or the environment, dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Wash thoroughly after handling. Empty container contains product residue which may exhibit hazards of product.
Maximum Storage Temperature	Not determined.
Storage Procedures	Odorous and toxic fumes may form from the decomposition of this product if stored at temperatures in excess of 113 deg F (45 deg C) for extended periods of time or if heat sources in excess of 250 deg F (121 deg C) are used.
Loading Temperature	Not determined.

8	Exposure Controls/Personal Protection
----------	--

Exposure Limits	None established
Other Exposure Limits	Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.
Engineering Controls	Use with adequate ventilation.
Gloves Procedures	Nitrile.
Eye Protection	Safety Glasses.
Respiratory Protection	Use NIOSH/MSHA approved respirator with a combination organic vapor and high efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Clothing Recommendation	Long sleeve shirt is recommended. When working with heated material, wear heat protective clothing. Launder contaminated clothing before reuse.

9	Physical and Chemical Properties
----------	---

Flash Point	206 °C, 402.8 °F PMCC (Typical)
--------------------	---------------------------------

Upper Flammable Limit	Not determined.
Lower Flammable Limit	Not determined.
Autoignition Point	Not determined.
Explosion Data	Material does not have explosive properties.
Vapor Pressure	Not determined.
pH	Not determined.
Specific Gravity	0.88 (15.6 °C)
Bulk Density	Not determined.
Water Solubility	Insoluble.
Percent Solid	Not determined.
Percent Volatile	Not determined.
Volatile Organic Compound	Not determined.
Vapor Density	Not determined.
Evaporation Rate	Not determined.
Odor	Mild
Appearance	Dark amber liquid.
Viscosity	135 Centistokes (40 °C) 17.8 Centistokes (100 °C)
Odor Threshold	Not determined.
Boiling Point	Not determined.
Pour Point Temperature	-15 °C, 5 °F
Melting / Freezing Point	Not determined.

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.

10	Stability and Reactivity
-----------	---------------------------------

Stability	Material is normally stable at room temperature and pressure. See the Handling and Storage Section for further details.
Decomposition Temperature	Not determined.
Incompatibility	Oxidizing agents.
Polymerization	Will not occur.
Thermal Decomposition	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide and alkyl mercaptans and sulfides may also be released. Hydrogen sulfide may also be released.
Conditions to Avoid	Not determined.

11	Toxicological Information
-----------	----------------------------------

-- ACUTE EXPOSURE --

Eye Irritation	Not expected to cause eye irritation Based on data from components or similar materials.
Skin Irritation	Not expected to be a primary skin irritant. Based on data from components or similar materials. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
Respiratory Irritation	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. Based on data from components or similar materials. Fumes or vapor from heated polymer may be toxic and/or irritating to eyes, skin, mucous membrane and respiratory tract

Dermal Toxicity	The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.
Inhalation Toxicity	No data available to indicate product or components may be a toxic inhalation hazard.
Oral Toxicity	The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials.
Dermal Sensitization	No data available to indicate product or components may be a skin sensitizer.
Inhalation Sensitization	No data available to indicate product or components may be respiratory sensitizers.

-- CHRONIC EXPOSURE --

Chronic Toxicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
Teratogenicity	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

-- ADDITIONAL INFORMATION --

Other	No other health hazards known.
--------------	--------------------------------

12	Ecological Information
-----------	-------------------------------

-- ENVIRONMENTAL TOXICITY --

Freshwater Fish Toxicity	The acute LC50 is 10 - 100 mg/L based on component data.
Freshwater Invertebrates Toxicity	Not determined.
Algal Inhibition	Not determined.
Saltwater Fish Toxicity	Not determined.
Saltwater Invertebrates Toxicity	Not determined.
Bacteria Toxicity	The acute EC50 is 100 - 1000 ppm based on component data.
Miscellaneous Toxicity	Not determined.

-- ENVIRONMENTAL FATE --

Biodegradation	At least 25% of the components in this product show moderate biodegradation based on OECD 301-type test data. At least 25% of the components in this product show moderate biodegradation based on OECD 302-type test data.
Bioaccumulation	25% or greater of the components potentially bioconcentrate, based on octanol/water coefficients.
Soil Mobility	Not determined.

13	Disposal Considerations
-----------	--------------------------------

Waste Disposal	This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.
-----------------------	--

14	Transport Information
-----------	------------------------------

ICAO/IATA I	Not regulated.
ICAO/IATA II	Not regulated.
IMDG	Not regulated.
IMDG EMS Fire	Not applicable.
IMDG EMS Spill	Not applicable.
IMDG MFAG	Not applicable.
MARPOL Annex II	Not determined.
USCG Compatibility	Not determined.
U.S. DOT Bulk	Not regulated.
U.S. DOT Non-Bulk	Not regulated.
DOT NAERG	Not applicable.
TDG Bulk	Not regulated.
TDG Non-Bulk	Not regulated.
Mexico	Not regulated.
Mexico Non-Bulk	Not regulated.
Bulk Quantity	85000 liters, 22457 gal.
Non-Bulk Quantity	207.8 liters, 55 gal.

Review classification requirements before shipping materials at elevated temperatures.

15	Regulatory Information
-----------	-------------------------------

-- Global Chemical Inventories --

USA	All components of this material are on the US TSCA Inventory or are exempt.
Other TSCA Reg.	None known.
EU	All components are in compliance with the EC Seventh amendment Directive 92 /32/EEC.
Japan	All components are in compliance with the Chemical Substances Control Law of Japan.
Australia	A component(s) of this product has been notified and assessed under the Industrial Chemicals (Notification and Assessment) Act, 1989. This product may be imported only by Lubrizol Australia.
New Zealand	All components are in compliance with chemical notification requirements in New Zealand.
Canada	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.
Switzerland	All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.
Korea	All components are in compliance in Korea.
Philippines	All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).
China	All components of this product are listed on the Inventory of Existing Chemical Substances in China.

-- Other U.S. Federal Regulations --

SARA Ext. Haz. Subst.	This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.
SARA Section 313	From 1 to 4.9 percent zinc compounds; contains 0.3% as Zn.
SARA 311 Classifications	

Acute Hazard	No
Chronic Hazard	No

Fire Hazard	No
Reactivity Hazard	No

CERCLA Hazardous Substances None known.
FDA Approval Not applicable.

-- State Regulations --

Cal. Prop. 65 This product contains the following chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components: < 0.05 ppm arsenic < 0.05 ppm cadmium < 0.05 ppm lead

-- Product Registrations --

U.S. Fuel Registration Not applicable.
U.S. Dept of Agriculture This product has not been filed with the USDA to support H2 approvals.
NSF Nonfood Compounds Registration This product has not been filed with the NSF to support H1 or H2 approvals.
Finnish Registration Number Not Registered
Swedish Registration Number Not Registered
Norwegian Registration Number Not Registered
Danish Registration Number Not Registered
Swiss Registration Number Not Registered
Italian Registration Number Not Registered
Korean Registration Number Not Registered

-- Other / International --

TDG Regulated Limit. None known.

16	Other Information
-----------	--------------------------

US NFPA Codes

Health	Fire	Reactivity	Special
1	1	0	N/E

(N/E) - None established

HMIS Codes

Health	Fire	Reactivity
0	1	0

Precautionary Labels

- This material has no known health hazards.

Revision Indicators

Section: 2 Appearance.	Changed: 3 February 2009
Section: 3 Hazardous ingredients.	Changed: 30 March 2009
Section: 7 Pumping temperature.	Changed: 3 February 2009
Section: 8 Clothing recommendations.	Changed: 25 August 2009
Section: 8 Hazardous ingredients.	Changed: 30 March 2009
Section: 8 Respiratory protection.	Changed: 30 March 2009
Section: 9 Appearance.	Changed: 3 February 2009
Section: 9 Pour point temperature.	Changed: 3 February 2009

Section: 11 Oral toxicity.

Changed: 25 August 2009

Section: 11 Respiratory irritation.

Changed: 25 August 2009

Section: 15 New Zealand

Changed: 30 September 2009

Users Responsibility/Disclaimer of Liability: The information set forth herein is based on our current knowledge, and is intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.