



Prepared according to 29CFR 1910.1200.

1	Chemical Product and Company Identification
----------	--

*Joe Gibbs Driven Racing Oil
 13415 Reese Blvd., West
 Huntersville, NC 28078
 Phone: (866) 611-1820*

Product Trade Name	SYNTHETIC RACING OIL XP1
CAS Number	Not applicable for mixtures.
Synonyms	None.
Generic Chemical Name	Mixture.
Product Type	Multipurpose.
Preparation/Revision Date	11 August 2009
Transportation Emergency Phone No.	FOR TRANSPORT EMERGENCY call CHEMTREC: (+1) 703-527-3887 (outside the U.S.), 1-800-424-9300 (in the U.S.)
MSDS No.	28428782-3711518-703910-102103

2	Hazards Identification
----------	-------------------------------

Appearance	Dark amber liquid.
Odor	Mild
Principal Hazards	Caution. <ul style="list-style-type: none"> • May cause eye irritation. • May cause skin irritation.

See Section 11 for complete health hazard information.

3	Composition/Information on Ingredients
----------	---

Hazardous Ingredients	This material contains no ingredients requiring disclosure under regulatory hazard criteria for this jurisdiction. See Section 11 for additional details.
------------------------------	---

4	First Aid Measures
----------	---------------------------

Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.
Skin	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.
Inhalation	Remove exposed person to fresh air if adverse effects are observed.

Oral DO NOT INDUCE VOMITING. Get immediate medical attention.
Additional Information Note to physician: Treat symptomatically.

5	Fire Fighting Measures
----------	-------------------------------

Flash Point 186 °C, 366.8 °F PMCC (Typical)
Extinguishing Media CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.
Firefighting Procedures Recommend wearing self-contained breathing apparatus. Water may cause splattering. Use water to cool containers exposed to fire.
Unusual Fire & Explosion Hazards None known.

6	Accidental Release Measures
----------	------------------------------------

Spill Procedures Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

7	Handling and Storage
----------	-----------------------------

Pumping Temperature Not determined.
Maximum Handling Temperature Not determined.
Handling Procedures Keep containers closed when not in use. Do not discharge into drains or the environment, dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Wash thoroughly after handling. Empty container contains product residue which may exhibit hazards of product.
Maximum Storage Temperature Not determined.
Storage Procedures No special storage precautions required.
Loading Temperature Not determined.

8	Exposure Controls/Personal Protection
----------	--

Exposure Limits None established
Other Exposure Limits Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.
Engineering Controls Use with adequate ventilation.
Gloves Procedures Neoprene. Polyvinyl alcohol. Note: polyvinyl alcohol gloves are water soluble and should not be used when there is potential for water contact.
Eye Protection Safety Glasses.
Respiratory Protection Use NIOSH/MSHA approved respirator with a combination organic vapor and high efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Clothing Recommendation Long sleeve shirt is recommended. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction. Launder contaminated clothing before reuse.

9	Physical and Chemical Properties
----------	---

Flash Point	186 °C, 366.8 °F PMCC (Typical)
Upper Flammable Limit	Not determined.
Lower Flammable Limit	Not determined.
Autoignition Point	Not determined.
Explosion Data	Material does not have explosive properties.
Vapor Pressure	Not determined.
pH	Not determined.
Specific Gravity	0.85 (15.6 °C)
Bulk Density	Not determined.
Water Solubility	Insoluble.
Percent Solid	Not determined.
Percent Volatile	Not determined.
Volatile Organic Compound	Not determined.
Vapor Density	Not determined.
Evaporation Rate	Not determined.
Odor	Mild
Appearance	Dark amber liquid.
Viscosity	50 Centistokes (40 °C) 9.1 Centistokes (100 °C)
Odor Threshold	Not determined.
Boiling Point	Not determined.
Pour Point Temperature	< -40 °C, < -40 °F
Melting / Freezing Point	Not determined.

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.

10	Stability and Reactivity
-----------	---------------------------------

Stability	Material is normally stable at moderately elevated temperatures and pressures.
Decomposition Temperature	Not determined.
Incompatibility	Oxidizing agents.
Polymerization	Will not occur.
Thermal Decomposition	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide may also be released.
Conditions to Avoid	Not determined.

11	Toxicological Information
-----------	----------------------------------

-- ACUTE EXPOSURE --

Eye Irritation	May cause eye irritation. Does not meet Canadian D2B or EU R36 criteria. Based on data from components or similar materials.
Skin Irritation	May cause mild skin irritation. Does not meet Canadian D2B or EU R38 criteria. Based on data from components or similar materials. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
Respiratory Irritation	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. Based on data from components or

	similar materials. If product is heated or a mist is generated, it may cause irritation of the upper respiratory tract.
Dermal Toxicity	The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.
Inhalation Toxicity	No data available to indicate product or components may be a toxic inhalation hazard.
Oral Toxicity	The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials.
Dermal Sensitization	No data available to indicate product or components may be a skin sensitizer.
Inhalation Sensitization	No data available to indicate product or components may be respiratory sensitizers.

-- CHRONIC EXPOSURE --

Chronic Toxicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
Teratogenicity	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

-- ADDITIONAL INFORMATION --

Other	No other health hazards known.
--------------	--------------------------------

12	Ecological Information
-----------	-------------------------------

-- ENVIRONMENTAL TOXICITY --

Freshwater Fish Toxicity	The acute LC50 is 100 - 1000 mg/L based on component data.
Freshwater Invertebrates Toxicity	Not determined.
Algal Inhibition	Not determined.
Saltwater Fish Toxicity	Not determined.
Saltwater Invertebrates Toxicity	Not determined.
Bacteria Toxicity	Not determined.
Miscellaneous Toxicity	Not determined.

-- ENVIRONMENTAL FATE --

Biodegradation	At least 25% of the components in this product show limited biodegradation based on OECD 301-type test data.
Bioaccumulation	1 - 10% of the components potentially bioconcentrate, based on octanol/water coefficients.
Soil Mobility	Not determined.

13	Disposal Considerations
-----------	--------------------------------

Waste Disposal	This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.
-----------------------	--

14	Transport Information
-----------	------------------------------

ICAO/IATA I	Not regulated.
ICAO/IATA II	Not regulated.
IMDG	Not regulated.
IMDG EMS Fire	Not applicable.
IMDG EMS Spill	Not applicable.
IMDG MFAG	Not applicable.
MARPOL Annex II	Not determined.
USCG Compatibility	Not determined.
U.S. DOT Bulk	Not regulated.
U.S. DOT Non-Bulk	Not regulated.
DOT NAERG	Not applicable.
TDG Bulk	Not regulated.
TDG Non-Bulk	Not regulated.
Mexico	Not regulated.
Mexico Non-Bulk	Not regulated.
Bulk Quantity	85000 liters, 22457 gal.
Non-Bulk Quantity	207.8 liters, 55 gal.

Review classification requirements before shipping materials at elevated temperatures.

15	Regulatory Information
-----------	-------------------------------

-- Global Chemical Inventories --

USA	All components of this material are on the US TSCA Inventory or are exempt.
Other TSCA Reg.	None known.
EU	This product requires notification under the EC Seventh Amendment Directive 92/32/EEC.
Japan	This product may be imported to Japan only by Lubrizol Japan.
Australia	All components are in compliance with chemical notification requirements in Australia.
New Zealand	May require notification before sale under New Zealand regulations.
Canada	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.
Switzerland	This product requires notification before sale in Switzerland.
Korea	All components are in compliance in Korea.
Philippines	This product requires notification before sale in the Philippines.
China	This product may be imported to China only by Lubrizol China.

-- Other U.S. Federal Regulations --

SARA Ext. Haz. Subst.	This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.
SARA Section 313	This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances listed under SARA Section 313.

SARA 311 Classifications	<table border="1" style="border-collapse: collapse;"> <tr> <td style="padding: 2px;">Acute Hazard</td> <td style="padding: 2px;">No</td> </tr> <tr> <td style="padding: 2px;">Chronic Hazard</td> <td style="padding: 2px;">No</td> </tr> <tr> <td style="padding: 2px;">Fire Hazard</td> <td style="padding: 2px;">No</td> </tr> <tr> <td style="padding: 2px;">Reactivity Hazard</td> <td style="padding: 2px;">No</td> </tr> </table>	Acute Hazard	No	Chronic Hazard	No	Fire Hazard	No	Reactivity Hazard	No
Acute Hazard	No								
Chronic Hazard	No								
Fire Hazard	No								
Reactivity Hazard	No								

CERCLA Hazardous Substances	None known.
------------------------------------	-------------

FDA Approval Not applicable.

-- State Regulations --

Cal. Prop. 65 This product contains the following chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components: < 0.05 ppm cadmium < 0.05 ppm lead < 0.05 ppm arsenic

-- Product Registrations --

U.S. Fuel Registration Not applicable.

U.S. Dept of Agriculture This product has not been filed with the USDA to support H2 approvals.

NSF Nonfood Compounds Registration This product has not been filed with the NSF to support H1 or H2 approvals.

Finnish Registration Number Not Registered

Swedish Registration Number Not Registered

Norwegian Registration Number Not Registered

Danish Registration Number Not Registered

Swiss Registration Number Not Registered

Italian Registration Number Not Registered

Korean Registration Number Not Registered

-- Other / International --

TDG Regulated Limit. None known.

16	Other Information
-----------	--------------------------

US NFPA Codes

Health	Fire	Reactivity	Special
1	1	0	N/E

(N/E) - None established

HMIS Codes

Health	Fire	Reactivity
1	1	0

Precautionary Labels

- Caution.
- May cause eye irritation.
 - May cause skin irritation.

Revision Indicators

Section: 2 Principal hazards.	Changed: 31 March 2009
Section: 3 Hazardous ingredients.	Changed: 31 March 2009
Section: 4 Skin first aid.	Changed: 30 March 2009
Section: 8 Hazardous ingredients.	Changed: 31 March 2009
Section: 8 Respiratory protection.	Changed: 30 March 2009
Section: 9 Odor threshold.	Changed: 13 January 2009
Section: 9 Percent volatile.	Changed: 13 January 2009
Section: 11 Oral toxicity.	Changed: 24 June 2009
Section: 15 Australia.	Changed: 11 August 2009
Section: 16 Principal hazards.	Changed: 31 March 2009

intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.