



Prepared according to 29CFR 1910.1200.

<b>1</b>	<b>Chemical Product and Company Identification</b>
----------	--

*Joe Gibbs Driven Racing Oil  
13415 Reese Blvd., West  
Huntersville, NC 28078  
Phone: (866) 611-1820*

<b>Product Trade Name</b>	SYN RACING OIL XP6
<b>CAS Number</b>	Not applicable for mixtures.
<b>Synonyms</b>	None.
<b>Generic Chemical Name</b>	Mixture.
<b>Product Type</b>	Multipurpose.
<b>Preparation/Revision Date</b>	01 October 2009
<b>Transportation Emergency Phone No.</b>	FOR TRANSPORT EMERGENCY call CHEMTREC: (+1) 703-527-3887 (outside the U.S.), 1-800-424-9300 (in the U.S.)
<b>MSDS No.</b>	29020253-2001120-319950-102103

<b>2</b>	<b>Hazards Identification</b>
----------	-------------------------------

<b>Appearance</b>	Dark amber liquid.
<b>Odor</b>	Mild
<b>Principal Hazards</b>	Caution. <ul style="list-style-type: none"> <li>• May cause eye irritation.</li> <li>• May cause skin irritation.</li> </ul>

See Section 11 for complete health hazard information.

<b>3</b>	<b>Composition/Information on Ingredients</b>
----------	---

<b>Hazardous Ingredients</b>	This material contains no ingredients requiring disclosure under regulatory hazard criteria for this jurisdiction. See Section 11 for additional details.
------------------------------	---

<b>4</b>	<b>First Aid Measures</b>
----------	---------------------------

<b>Eyes</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.
<b>Skin</b>	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.
<b>Inhalation</b>	Remove exposed person to fresh air if adverse effects are observed.

**Oral** DO NOT INDUCE VOMITING. Get immediate medical attention.  
**Additional Information** Note to physician: Treat symptomatically.

<b>5</b>	<b>Fire Fighting Measures</b>
----------	-------------------------------

**Flash Point** 188 °C, 370.4 °F PMCC (Typical)  
**Extinguishing Media** CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.  
**Firefighting Procedures** Recommend wearing self-contained breathing apparatus. Water may cause splattering.  
**Unusual Fire & Explosion Hazards** None known.

<b>6</b>	<b>Accidental Release Measures</b>
----------	------------------------------------

**Spill Procedures** Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

<b>7</b>	<b>Handling and Storage</b>
----------	-----------------------------

**Pumping Temperature** Not determined.  
**Maximum Handling Temperature** Not determined.  
**Handling Procedures** Keep containers closed when not in use. Do not discharge into drains or the environment, dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Wash thoroughly after handling. Empty container contains product residue which may exhibit hazards of product.  
**Maximum Storage Temperature** Not determined.  
**Storage Procedures** No special storage precautions required.  
**Loading Temperature** Not determined.

<b>8</b>	<b>Exposure Controls/Personal Protection</b>
----------	--

**Exposure Limits** None established  
**Other Exposure Limits** Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.  
**Engineering Controls** Use with adequate ventilation.  
**Gloves Procedures** Nitrile.  
**Eye Protection** Safety Glasses.  
**Respiratory Protection** Use NIOSH/MSHA approved respirator with a combination organic vapor and high efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.  
**Clothing Recommendation** Long sleeve shirt is recommended. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction. Launder contaminated clothing before reuse.

<b>9</b>	<b>Physical and Chemical Properties</b>
----------	---

**Flash Point** 188 °C, 370.4 °F PMCC (Typical)

<b>Upper Flammable Limit</b>	Not determined.
<b>Lower Flammable Limit</b>	Not determined.
<b>Autoignition Point</b>	Not determined.
<b>Explosion Data</b>	Material does not have explosive properties.
<b>Vapor Pressure</b>	Not determined.
<b>pH</b>	Not determined.
<b>Specific Gravity</b>	0.86 (15.6 °C)
<b>Bulk Density</b>	Not determined.
<b>Water Solubility</b>	Insoluble.
<b>Percent Solid</b>	Not determined.
<b>Percent Volatile</b>	Not determined.
<b>Volatile Organic Compound</b>	Not determined.
<b>Vapor Density</b>	Not determined.
<b>Evaporation Rate</b>	Not determined.
<b>Odor</b>	Mild
<b>Appearance</b>	Dark amber liquid.
<b>Viscosity</b>	113 Centistokes (40 °C) 16.3 Centistokes (100 °C)
<b>Odor Threshold</b>	Not determined.
<b>Boiling Point</b>	Not determined.
<b>Pour Point Temperature</b>	-39 °C, -38 °F
<b>Melting / Freezing Point</b>	Not determined.

*The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.*

<b>10</b>	<b>Stability and Reactivity</b>
-----------	---------------------------------

<b>Stability</b>	Material is normally stable at moderately elevated temperatures and pressures.
<b>Decomposition Temperature</b>	Not determined.
<b>Incompatibility</b>	Oxidizing agents.
<b>Polymerization</b>	Will not occur.
<b>Thermal Decomposition</b>	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide may also be released.
<b>Conditions to Avoid</b>	Not determined.

<b>11</b>	<b>Toxicological Information</b>
-----------	----------------------------------

**-- ACUTE EXPOSURE --**

<b>Eye Irritation</b>	May cause eye irritation. Does not meet Canadian D2B or EU R36 criteria. Based on data from components or similar materials. Vapors formed from heating may cause eye irritation.
<b>Skin Irritation</b>	May cause mild skin irritation. Does not meet Canadian D2B or EU R38 criteria. Based on data from components or similar materials. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
<b>Respiratory Irritation</b>	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. Based on data from components or similar materials.
<b>Dermal Toxicity</b>	The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.

<b>Inhalation Toxicity</b>	The LC50 (1 hr.) in rats for vapors of this material is > 200 mg/l. Based on data from components or similar materials.
<b>Oral Toxicity</b>	The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials. Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.
<b>Dermal Sensitization</b>	No data available to indicate product or components may be a skin sensitizer.
<b>Inhalation Sensitization</b>	No data available to indicate product or components may be respiratory sensitizers.

**-- CHRONIC EXPOSURE --**

<b>Chronic Toxicity</b>	No data available to indicate product or components present at greater than 1% are chronic health hazards.
<b>Carcinogenicity</b>	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Reproductive Toxicity</b>	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
<b>Teratogenicity</b>	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

**-- ADDITIONAL INFORMATION --**

<b>Other</b>	No other health hazards known.
--------------	--------------------------------

<b>12</b>	<b>Ecological Information</b>
-----------	-------------------------------

**-- ENVIRONMENTAL TOXICITY --**

<b>Freshwater Fish Toxicity</b>	The acute LC50 is 100 - 1000 mg/L based on component data.
<b>Freshwater Invertebrates Toxicity</b>	Not determined.
<b>Algal Inhibition</b>	Not determined.
<b>Saltwater Fish Toxicity</b>	Not determined.
<b>Saltwater Invertebrates Toxicity</b>	Not determined.
<b>Bacteria Toxicity</b>	Not determined.
<b>Miscellaneous Toxicity</b>	Not determined.

**-- ENVIRONMENTAL FATE --**

<b>Biodegradation</b>	At least 25% of the components in this product show limited biodegradation based on OECD 301-type test data.
<b>Bioaccumulation</b>	1 - 10% of the components potentially bioconcentrate, based on octanol/water coefficients.
<b>Soil Mobility</b>	Not determined.

<b>13</b>	<b>Disposal Considerations</b>
-----------	--------------------------------

<b>Waste Disposal</b>	This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.
-----------------------	--

<b>14</b>	<b>Transport Information</b>
-----------	------------------------------

<b>ICAO/IATA I</b>	Not regulated.
<b>ICAO/IATA II</b>	Not regulated.
<b>IMDG</b>	Not regulated.
<b>IMDG EMS Fire</b>	Not applicable.
<b>IMDG EMS Spill</b>	Not applicable.
<b>IMDG MFAG</b>	Not applicable.
<b>MARPOL Annex II</b>	Not determined.
<b>USCG Compatibility</b>	Not determined.
<b>U.S. DOT Bulk</b>	Not regulated.
<b>U.S. DOT Non-Bulk</b>	Not regulated.
<b>DOT NAERG</b>	Not applicable.
<b>TDG Bulk</b>	Not regulated.
<b>TDG Non-Bulk</b>	Not regulated.
<b>Mexico</b>	Not regulated.
<b>Mexico Non-Bulk</b>	Not regulated.
<b>Bulk Quantity</b>	85000 liters, 22457 gal.
<b>Non-Bulk Quantity</b>	207.8 liters, 55 gal.

*Review classification requirements before shipping materials at elevated temperatures.*

15	<b>Regulatory Information</b>
----	-------------------------------

**-- Global Chemical Inventories --**

<b>USA</b>	All components of this material are on the US TSCA Inventory or are exempt.
<b>Other TSCA Reg.</b>	None known.
<b>EU</b>	This product requires notification under the EC Seventh Amendment Directive 92/32/EEC.
<b>Japan</b>	This product may be imported to Japan only by Lubrizol Japan.
<b>Australia</b>	All components are in compliance with chemical notification requirements in Australia.
<b>New Zealand</b>	May require notification before sale under New Zealand regulations.
<b>Canada</b>	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.
<b>Switzerland</b>	This product requires notification before sale in Switzerland.
<b>Korea</b>	All components are in compliance in Korea.
<b>Philippines</b>	This product requires notification before sale in the Philippines.
<b>China</b>	This product may be imported to China only by Lubrizol China.

**-- Other U.S. Federal Regulations --**

<b>SARA Ext. Haz. Subst.</b>	This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.
<b>SARA Section 313</b>	This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances listed under SARA Section 313.

**SARA 311 Classifications**

Acute Hazard	No
Chronic Hazard	No
Fire Hazard	No
Reactivity Hazard	No

<b>CERCLA Hazardous Substances</b>	None known.
<b>FDA Approval</b>	Not applicable.

**-- State Regulations --**

**Cal. Prop. 65** This product contains the following chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components: < 0.05 ppm cadmium < 0.05 ppm lead < 0.05 ppm arsenic

**-- Product Registrations --**

**U.S. Fuel Registration** Not applicable.  
**U.S. Dept of Agriculture** This product has not been filed with the USDA to support H2 approvals.  
**NSF Nonfood Compounds Registration** This product has not been filed with the NSF to support H1 or H2 approvals.  
**Finnish Registration Number** Not Registered  
**Swedish Registration Number** Not Registered  
**Norwegian Registration Number** Not Registered  
**Danish Registration Number** Not Registered  
**Swiss Registration Number** Not Registered  
**Italian Registration Number** Not Registered  
**Korean Registration Number** Not Registered

**-- Other / International --**

**TDG Regulated Limit.** None known.

<b>16</b>	<b>Other Information</b>
-----------	--------------------------

**US NFPA Codes**

Health	Fire	Reactivity	Special
1	1	0	N/E

(N/E) - None established

**HMIS Codes**

Health	Fire	Reactivity
1	1	0

**Precautionary Labels**

Caution.

- May cause eye irritation.
- May cause skin irritation.

**Revision Indicators**

Section: 2 Principal hazards.	Changed: 31 March 2009
Section: 3 Hazardous ingredients.	Changed: 31 March 2009
Section: 4 Skin first aid.	Changed: 30 March 2009
Section: 8 Hazardous ingredients.	Changed: 31 March 2009
Section: 8 Respiratory protection.	Changed: 30 March 2009
Section: 9 Odor threshold.	Changed: 13 January 2009
Section: 9 Percent volatile.	Changed: 13 January 2009
Section: 11 Inhalation toxicity.	Changed: 24 June 2009
Section: 11 Oral toxicity.	Changed: 24 June 2009
Section: 15 Australia.	Changed: 11 August 2009
Section: 16 Principal hazards.	Changed: 31 March 2009

*intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.*