

BREAK-IN OIL BR, 12 X 1 QT/CS



JOE GIBBS RACING  
MSDS  
PO Box 2607  
HUNTERSVILLE NC 28078

**Subject: Material Safety Data  
Sheets (320)**

**Date:** 12/08/2010

Dear Sirs and Madams,

Please find enclosed the MSDS's sent to you in accordance to the regulations of the sending country relative to the products(s).

**BREAK-IN OIL BR, 12 X 1 QT/CS**

This information is provided to you for the following reason:

**The MSDS has been revised since the product was last ordered by your company.**

Thanking you in advance for your cooperation, please accept our best regards,

THE LUBRIZOL CORPORATION  
29400 LAKELAND BOULEVARD  
WICKLIFFE, OH 44092-2298  
PHONE: (440)943-1200  
0001 0001292822

Log on to [www.mylubrizol.com](http://www.mylubrizol.com) to get the most up to date MSDS. You can also view the MSDS Change Report online that lists MSDS with changes in the last 30 days.



Prepared according to 29CFR 1910.1200.

<b>1</b>	<b>Chemical Product and Company Identification</b>
----------	--

**THE LUBRIZOL CORPORATION**  
**29400 LAKELAND BOULEVARD**  
**WICKLIFFE, OH 44092-2298**  
**PHONE: (440)943-1200**

<b>Product Trade Name</b>	BREAK-IN OIL BR, 12 X 1 QT/CS
<b>CAS Number</b>	Not applicable for mixtures.
<b>Synonyms</b>	None.
<b>Generic Chemical Name</b>	Mixture.
<b>Product Type</b>	Multipurpose.
<b>Preparation/Revision Date</b>	02 December 2010
<b>Transportation Emergency Phone No.</b>	FOR TRANSPORT EMERGENCY call CHEMTREC: (+1) 703-527-3887 (outside the U.S.), 1-800-424-9300 (in the U.S.)
<b>MSDS No.</b>	1535625-2505012-5197021-102103

<b>2</b>	<b>Hazards Identification</b>
----------	-------------------------------

<b>Appearance</b>	Dark amber liquid.
<b>Odor</b>	Mild
<b>Principal Hazards</b>	<ul style="list-style-type: none"> <li>This material has no known health hazards.</li> </ul>

See Section 11 for complete health hazard information.

<b>3</b>	<b>Composition/Information on Ingredients</b>
----------	---

<b>Hazardous Ingredients</b>	This material has no known hazards under applicable laws.
------------------------------	---

<b>4</b>	<b>First Aid Measures</b>
----------	---------------------------

<b>Eyes</b>	Flush with water at least 30 minutes. Get medical attention if eye irritation develops or persists.
<b>Skin</b>	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.
<b>Inhalation</b>	Remove exposed person to fresh air if adverse effects are observed.
<b>Oral</b>	DO NOT INDUCE VOMITING. Get immediate medical attention.
<b>Additional Information</b>	Note to physician: Treat symptomatically.

<b>5</b>	<b>Fire Fighting Measures</b>
----------	-------------------------------

<b>Flash Point</b>	206 °C, 402.8 °F PMCC (Typical)
<b>Extinguishing Media</b>	CO <sub>2</sub> , dry chemical, or foam. Water can be used to cool and protect exposed material.
<b>Firefighting Procedures</b>	Recommend wearing self-contained breathing apparatus. Water may cause splattering.
<b>Unusual Fire &amp; Explosion Hazards</b>	Elevated temperatures can lead to the formation of irritating fumes and vapors. See section 10 for additional information.

<b>6</b>	<b>Accidental Release Measures</b>
----------	------------------------------------

<b>Spill Procedures</b>	Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.
-------------------------	---

<b>7</b>	<b>Handling and Storage</b>
----------	-----------------------------

<b>Pumping Temperature</b>	Ambient
<b>Maximum Handling Temperature</b>	70 °C, 158 °F
<b>Handling Procedures</b>	Keep containers closed when not in use. Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Wash

## BREAK-IN OIL BR, 12 X 1 QT/CS

thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.

<b>Maximum Storage Temperature</b>	Not determined.
<b>Storage Procedures</b>	Odorless and toxic fumes may form from the decomposition of this product if stored at temperatures in excess of 113 deg F (45 deg C) for extended periods of time or if heat sources in excess of 250 deg F (121 deg C) are used. See section 10 for incompatible materials.
<b>Loading Temperature</b>	Not determined.

<b>8</b>	<b>Exposure Controls/Personal Protection</b>
----------	--

<b>Exposure Limits</b>	None established
<b>Other Exposure Limits</b>	Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.
<b>Engineering Controls</b>	Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
<b>Gloves Procedures</b>	Nitrile.
<b>Eye Protection</b>	Safety Glasses.
<b>Respiratory Protection</b>	Use half mask respirator with an organic vapor cartridge if exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
<b>Clothing Recommendation</b>	Long sleeve shirt is recommended. When working with heated material, wear heat protective clothing. Launder contaminated clothing before reuse.

<b>9</b>	<b>Physical and Chemical Properties</b>
----------	---

<b>Flash Point</b>	206 °C, 402.8 °F PMCC (Typical)
<b>Upper Flammable Limit</b>	Not determined.
<b>Lower Flammable Limit</b>	Not determined.
<b>Autoignition Point</b>	Not determined.
<b>Explosion Data</b>	Material does not have explosive properties.
<b>Vapor Pressure</b>	Not determined.
<b>pH</b>	Not determined.
<b>Specific Gravity</b>	0.88 (15.6 °C)
<b>Bulk Density</b>	Not determined.
<b>Water Solubility</b>	Insoluble.
<b>Percent Solid</b>	Not determined.
<b>Percent Volatile</b>	Not determined.
<b>Volatile Organic Compound</b>	Not determined.
<b>Vapor Density</b>	Not determined.
<b>Evaporation Rate</b>	Not determined.
<b>Odor</b>	Mild
<b>Appearance</b>	Dark amber liquid.
<b>Viscosity</b>	135 Centistokes (40 °C) 17.8 Centistokes (100 °C)
<b>Odor Threshold</b>	Not determined.
<b>Boiling Point</b>	Not determined.
<b>Pour Point Temperature</b>	-15 °C, 5 °F
<b>Melting / Freezing Point</b>	Not determined.

*The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.*

<b>10</b>	<b>Stability and Reactivity</b>
-----------	---------------------------------

<b>Stability</b>	Material is normally stable at room temperature and pressure. See the Handling and Storage Section for further details.
<b>Decomposition Temperature</b>	Not determined.
<b>Incompatibility</b>	Oxidizing agents.
<b>Polymerization</b>	Will not occur.
<b>Thermal Decomposition</b>	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide and alkyl mercaptans and sulfides may also be released. Hydrogen sulfide may also be released.
<b>Conditions to Avoid</b>	High temperatures.

<b>11</b>	<b>Toxicological Information</b>
-----------	----------------------------------

# BREAK-IN OIL BR, 12 X 1 QT/CS

## -- ACUTE EXPOSURE --

<b>Eye Irritation</b>	Not expected to cause eye irritation. Based on data from components or similar materials. Vapors may cause irritation.
<b>Skin Irritation</b>	Not expected to be a primary skin irritant. Based on data from components or similar materials. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
<b>Respiratory Irritation</b>	If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. Based on data from components or similar materials. Inhalation of processing mists and vapors may be irritating to the respiratory system.
<b>Dermal Toxicity</b>	The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.
<b>Inhalation Toxicity</b>	Overexposure to vapors or mist may cause dizziness, headache, nausea, and/or flu-like symptoms. Avoid inhalation of mists or vapors.
<b>Oral Toxicity</b>	The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials. Ingestion of this material may cause gastrointestinal irritation.
<b>Dermal Sensitization</b>	No data available to indicate product or components may be a skin sensitizer.
<b>Inhalation Sensitization</b>	No data available to indicate product or components may be respiratory sensitizers.

## -- CHRONIC EXPOSURE --

<b>Chronic Toxicity</b>	No data available to indicate product or components present at greater than 1% are chronic health hazards.
<b>Carcinogenicity</b>	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Reproductive Toxicity</b>	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
<b>Teratogenicity</b>	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

## -- ADDITIONAL INFORMATION --

<b>Other</b>	Pre-existing skin conditions may be aggravated by prolonged or repeated exposure. Persons with sensitive airways (e.g., asthmatics) may react to vapors.
--------------	--

<b>12</b>	<b>Ecological Information</b>
-----------	-------------------------------

## -- ENVIRONMENTAL TOXICITY --

<b>Freshwater Fish Toxicity</b>	The acute LC50 is 100 - 1000 mg/L based on component data.
<b>Freshwater Invertebrates Toxicity</b>	Not determined.
<b>Algal Inhibition</b>	Not determined.
<b>Saltwater Fish Toxicity</b>	Not determined.
<b>Saltwater Invertebrates Toxicity</b>	Not determined.
<b>Bacteria Toxicity</b>	The acute EC50 is > 1000 ppm based on component data.
<b>Miscellaneous Toxicity</b>	Not determined.

## -- ENVIRONMENTAL FATE --

<b>Biodegradation</b>	At least 25% of the components in this product show moderate biodegradation based on OECD 301-type test data. At least 25% of the components in this product show moderate biodegradation based on OECD 302-type test data.
<b>Bioaccumulation</b>	25% or greater of the components potentially bioconcentrate, based on octanol/water coefficients.
<b>Soil Mobility</b>	Not determined.

<b>13</b>	<b>Disposal Considerations</b>
-----------	--------------------------------

<b>Waste Disposal</b>	This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.
-----------------------	--

<b>14</b>	<b>Transport Information</b>
-----------	------------------------------

<b>ICAO/IATA I</b>	Not regulated.
<b>ICAO/IATA II</b>	Not regulated.
<b>IMDG</b>	Not regulated.
<b>IMDG EMS Fire</b>	Not applicable.
<b>IMDG EMS Spill</b>	Not applicable.
<b>IMDG MFAG</b>	Not applicable.
<b>MARPOL Annex II</b>	Not determined.
<b>USCG Compatibility</b>	Not determined.
<b>U.S. DOT Bulk</b>	Not regulated.
<b>DOT NAERG</b>	Not applicable.
<b>U.S. DOT (Intermediate)</b>	Not regulated.
<b>U.S. DOT Intermediate NAERG</b>	Not applicable.

# BREAK-IN OIL BR, 12 X 1 QT/CS

U.S. DOT Non-Bulk	Not regulated.
U.S. DOT Non-Bulk NAERG	Not applicable.
Canada	Not regulated.
Mexico	Not regulated.
Bulk Quantity	85000 KG, 187391 lbs.
Intermediate Quantity	11000 KG, 24251 lbs.
Non-Bulk Quantity	400 KG, 882 lbs.

*Review classification requirements before shipping materials at elevated temperatures.*

15	<b>Regulatory Information</b>
----	-------------------------------

**-- Global Chemical Inventories --**

<b>USA</b>	All components of this material are on the US TSCA Inventory or are exempt.
<b>Other TSCA Reg.</b>	None known.
<b>EU</b>	All components are in compliance with the EC Seventh amendment Directive 92 /32/EEC.
<b>Japan</b>	All components are in compliance with the Chemical Substances Control Law of Japan.
<b>Australia</b>	All components are in compliance with chemical notification requirements in Australia.
<b>New Zealand</b>	All components are in compliance with chemical notification requirements in New Zealand.
<b>Canada</b>	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.
<b>Switzerland</b>	All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.
<b>Korea</b>	All components are in compliance in Korea.
<b>Philippines</b>	All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).
<b>China</b>	All components of this product are listed on the Inventory of Existing Chemical Substances in China.

**-- Other U.S. Federal Regulations --**

<b>SARA Ext. Haz. Subst.</b>	This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.								
<b>SARA Section 313</b>	From 1 to 4.9 percent zinc compounds; contains 0.3% as Zn.								
<b>SARA 311 Classifications</b>	<table border="1"> <tr> <td>Acute Hazard</td> <td>No</td> </tr> <tr> <td>Chronic Hazard</td> <td>No</td> </tr> <tr> <td>Fire Hazard</td> <td>No</td> </tr> <tr> <td>Reactivity Hazard</td> <td>No</td> </tr> </table>	Acute Hazard	No	Chronic Hazard	No	Fire Hazard	No	Reactivity Hazard	No
Acute Hazard	No								
Chronic Hazard	No								
Fire Hazard	No								
Reactivity Hazard	No								
<b>CERCLA Hazardous Substances</b>	None known.								

**-- State Regulations --**

<b>Cal. Prop. 65</b>	This product contains the following chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components: < 0.05 ppm arsenic < 0.05 ppm cadmium < 0.1 ppm lead
----------------------	--

**-- Product Registrations --**

<b>U.S. Fuel Registration</b>	Not applicable.
<b>Finnish Registration Number</b>	Not Registered
<b>Swedish Registration Number</b>	Not Registered
<b>Norwegian Registration Number</b>	Not Registered
<b>Danish Registration Number</b>	Not Registered
<b>Swiss Registration Number</b>	Not Registered
<b>Italian Registration Number</b>	Not Registered

**-- Other / International --**

<b>Miscellaneous Regulatory Information</b>	Not determined.
---	-----------------

16	<b>Other Information</b>
----	--------------------------

<b>US NFPA Codes</b>	<b>Health</b>	<b>Fire</b>	<b>Reactivity</b>	<b>Special</b>
	1	1	0	N/E

(N/E) - None established

<b>HMIS Codes</b>	<b>Health</b>	<b>Fire</b>	<b>Reactivity</b>
	0	1	0

**Precautionary Labels**

## BREAK-IN OIL BR, 12 X 1 QT/CS

- This material has no known health hazards.

### Revision Indicators

This MSDS has no revisions since 2 December 2010

---

*As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.*